ELSEVIER

Brain Research 707 (1996) 325–327

BRAIN RESEARCH

# Author Index

Albers, K.M., see Takami, S. (707) 303
Ammer, H. and Schulz, R.
Morphine dependence in human neuroblastoma SH-SY5Y cells is associated with adaptive changes in both the quantity and functional interaction of $PGE_1$ receptors and stimulatory G proteins (707) 235
Ayers, N.A., Kapás, L. and Krueger, J.M.
Circadian variation of nitric oxide synthase activity and cytosolic protein levels in rat brain (707) 127

Baba, A., see Kitanaka, J. (707) 282
Baldi, G., see Consolo, S. (707) 320
Barsacchi, G., see Iacopetti, P. (707) 293
Bergen, H.T. and Mobbs, C.V.
Ventromedial hypothalamic lesions produced by gold thioglucose do not impair induction of NPY mRNA in the arcuate nucleus by fasting (707) 266
Berners, M., see Miele, M. (707) 131
Boutelle, M.G., see Miele, M. (707) 131
Brosnan-Watters, G., see Wozniak, D.F. (707) 165
Brown, C.J., see Stoodley, M.A. (707) 155

Cao, Y., see Junttila, T. (707) 81
Carbone, S., Szwarcfarb, B., Rondina, D., Feleder, C. and Moguilevsky, J.A.
Differential effects of the *N*-methyl-D-aspartate and non-*N*-methyl-D-aspartate receptors of the excitatory amino acids system on LH and FSH secretion. Its effects on the hypothalamic luteinizing hormone releasing hormone during maturation in male rats (707) 139
Carlson, J.N., Visker, K.E., Nielsen, D.M., Keller Jr., R.W. and Glick, S.D.
Chronic antidepressant drug treatment reduces turning behavior and increases dopamine levels in the medial prefrontal cortex (707) 122
Ciriello, J., see Rosas-Arellano, M.P. (707) 308
Coffin, V.L., see Smith, R.D. (707) 13
Cohen-Williams, M., see Smith, R.D. (707) 13
Consolo, S., Ramponi, S., Ladinsky, H. and Baldi, G.
A critical role for $D_1$ receptors in the 5-$HT_{1A}$-mediated facilitation of in vivo acetylcholine release in rat frontal cortex (707) 320
Cook, C.U., see Tsuji, M.K. (707) 146
Corso, T.D., see Wozniak, D.F. (707) 165
Cremisi, F., see Iacopetti, P. (707) 293
Crockett, D.P., Maslany, S. and Egger, M.D.
Synaptophysin immunoreactivity and distributions of calcium-binding proteins highlight the functional organization of the rat's dorsal column nuclei (707) 31
Cuenca, N., see De Juan, J. (707) 213

De Beukelaer, M., see Van den Bergh, P. (707) 206
Deconinck, N., see Van den Bergh, P. (707) 206
De Juan, J., García, M. and Cuenca, N.
Formation and dissolution of spinules and changes in nematosome size require optic nerve integrity in black bass (*Micropterus salmoides*) retina (707) 213
Demura, H., see Wang, X.-Q. (707) 189
De Zeeuw, C.I., see Wentzel, P.R. (707) 314
Diop, A.G., see Hugon, J. (707) 288

Edvinsson, L., see Goadsby, P.J. (707) 110
Egger, M.D., see Crockett, D.P. (707) 31
Elfvin, L.-G., see Rydh-Rinder, M. (707) 180
Esclaire, F., see Hugon, J. (707) 288

Farb, D.H., see Friedman, L.K. (707) 100
Feleder, C., see Carbone, S. (707) 139
Fillenz, M., see Miele, M. (707) 131
Fink, J.S., see Turgeon, S.M. (707) 75
Fischer, S., Renz, D., Schaper, W. and Karliczek, G.F.
Effects of barbiturates on hypoxic cultures of brain derived microvascular endothelial cells (707) 47
Fix, A.S., see Wozniak, D.F. (707) 165
Friedman, L.K., Gibbs, T.T. and Farb, D.H.
$\gamma$-Aminobutyric $acid_A$ receptor regulation: heterologous uncoupling of modulatory site interactions induced by chronic steroid, barbiturate, benzodiazepine, or GABA treatment in culture (707) 100

Gallagher, M., see Nagahara, A.H. (707) 22
García, M., see De Juan, J. (707) 213
Georgieff, I.S., see Ko, L.-w. (707) 256
Georgieff, M., see Himmelseher, S. (707) 54
Gerrits, N.M., see Wentzel, P.R. (707) 314
Getchell, M.L., see Takami, S. (707) 303
Getchell, T.V., see Takami, S. (707) 303
Gibbs, T.T., see Friedman, L.K. (707) 100
Gill, T.M., see Nagahara, A.H. (707) 22
Giménez y Ribotta, M., Roudet, C., Sandillon, F. and Privat, A.
Transplantation of embryonic noradrenergic neurons in two models of adult rat spinal cord injury: ultrastructural immunocytochemical study (707) 245
Glick, S.D., see Carlson, J.N. (707) 122
Goadsby, P.J., Uddman, R. and Edvinsson, L.
Cerebral vasodilatation in the cat involves nitric oxide from parasympathetic nerves (707) 110
Gong, W., Neill, D. and Justice Jr., J.B.
Conditioned place preference and locomotor activation produced by injection of psychostimulants into ventral pallidum (707) 64
Gotoh, M., see Kitanaka, J. (707) 282

Hadjiconstantinou, M., see Krajnc, D. (707) 134
Hashimoto, H., see Kitanaka, J. (707) 282
Heidenreich, B.A., see Trytek, E.S. (707) 221
Herman, M.M., see Savory, J. (707) 272
Himmelseher, S., Pfenninger, E. and Georgieff, M.
The effect of basic fibroblast growth factor on glutamate-injured neuroarchitecture and arachidonic acid release in adult hippocampal neurons (707) 54
Hirasawa, Y., see Kitanaka, J. (707) 282
Hökfelt, T., see Junttila, T. (707) 81
Hökfelt, T., see Rydh-Rinder, M. (707) 180
Holmberg, K., see Rydh-Rinder, M. (707) 180
Holtzman, D., see Tsuji, M.K. (707) 146
Honma, K.-i., see Yoshihara, T. (707) 119
Honma, S., see Yoshihara, T. (707) 119
Huang, Y., see Savory, J. (707) 272
Hugon, F., see Hugon, J. (707) 288
Hugon, J., Hugon, F., Esclaire, F., Lesort, M. and Diop, A.G.
The presence of calbindin in rat cortical neurons protects in vitro from oxydative stress (707) 288

Iacopetti, P., Barsacchi, G., Tirone, F. and Cremisi, F.
Expression of the PC4 gene in the developing rat nervous system (707) 293
Imaki, T., see Wang, X.-Q. (707) 189
Imanaga, I., see Inoue, M. (707) 298

Inoue, M. and Imanaga, I.
ADP indirectly supports activation of non-selective cation channels by AlF complex in guinea-pig chromaffin cells (707) 298

Jones, N.R., see Stoodley, M.A. (707) 155
Junttila, T., Rechardt, L., Cao, Y., Hökfelt, T. and Pelto-Huikko, M.
Distribution of acidic fibroblast growth factor-like immunoreactivity in rat skeletal muscle fibers (707) 81
Justice Jr., J.B., see Gong, W. (707) 64

Kapás, L., see Ayers, N.A. (707) 127
Karliczek, G.F., see Fischer, S. (707) 47
Keller Jr., R.W., see Carlson, J.N. (707) 122
Kenigsberg, R.L., see Mazzoni, I.E. (707) 88
Kistler, M.K., see Smith, R.D. (707) 13
Kitanaka, J., Hashimoto, H., Gotoh, M., Kondo, K., Sakata, K., Hirasawa, Y., Sawada, M., Suzumura, A., Marunouchi, T., Matsuda, T. and Baba, A.
Expression pattern of messenger RNAs for prostanoid receptors in glial cell cultures (707) 282
Ko, L.-w., Liu, W.-K., Georgieff, I.S. and Yen, S.-H.C.
Modulated induction of tau proteins in cultured human neuroblastoma cells (707) 256
Kondo, K., see Kitanaka, J. (707) 282
Krajnc, D., Neff, N.H. and Hadjiconstantinou, M.
Glutamate, glutamine and glutamine synthetase in the neonatal rat brain following hypoxia (707) 134
Krueger, J.M., see Ayers, N.A. (707) 127
Kurisu, K., see Wakisaka, S. (707) 228
Kusakabe, H., see Miele, M. (707) 131

Ladinsky, H., see Consolo, S. (707) 320
Lesort, M., see Hugon, J. (707) 288
Liu, W.-K., see Ko, L.-w. (707) 256

Marunouchi, T., see Kitanaka, J. (707) 282
Maslany, S., see Crockett, D.P. (707) 31
Matsuda, T., see Kitanaka, J. (707) 282
Mazzoni, I.E. and Kenigsberg, R.L.
Transforming growth factor $\alpha$ differentially affects GABAergic and cholinergic neurons in rat medial septal cell cultures (707) 88
McEwen, M., see Wozniak, D.F. (707) 165
McGeer, P.L., see Schwab, C. (707) 196
Meyers, R.L., see Tsuji, M.K. (707) 146
Miele, M., Berners, M., Boutelle, M.G., Kusakabe, H. and Fillenz, M.
The determination of the extracellular concentration of brain glutamate using quantitative microdialysis (707) 131
Mitome, M., see Yoshihara, T. (707) 119
Mobbs, C.V., see Bergen, H.T. (707) 266
Moguilevsky, J.A., see Carbone, S. (707) 139
Mulkern, R.V., see Tsuji, M.K. (707) 146

Nagahara, A.H., Gill, T.M., Nicolle, M. and Gallagher, M.
Alterations in opiate receptor binding in the hippocampus of aged Long–Evans rats (707) 22
Nardi, A., see Wozniak, D.F. (707) 165
Neff, N.H., see Krajnc, D. (707) 134
Neill, D., see Gong, W. (707) 64
Nicolle, M., see Nagahara, A.H. (707) 22
Nielsen, D.M., see Carlson, J.N. (707) 122

Olney, J.W., see Wozniak, D.F. (707) 165

Pelto-Huikko, M., see Junttila, T. (707) 81
Pfenninger, E., see Himmelseher, S. (707) 54
Pollack, A.E., see Turgeon, S.M. (707) 75
Privat, A., see Giménez y Ribotta, M. (707) 245

Ramponi, S., see Consolo, S. (707) 320
Rebec, G.V., see Trytek, E.S. (707) 221
Rechardt, L., see Junttila, T. (707) 81
Reiner, A., see Veenman, C.L. (707) 1
Renz, D., see Fischer, S. (707) 47
Rondina, D., see Carbone, S. (707) 139
Rosas-Arellano, M.P., Solano-Flores, L.P. and Ciriello, J.
Arcuate nucleus inputs onto subfornical organ neurons that respond to plasma hypernatremia and angiotensin II (707) 308
Roudet, C., see Giménez y Ribotta, M. (707) 245
Rydh-Rinder, M., Holmberg, K., Elfvin, L.-G., Wiesenfeld-Hallin, Z. and Hökfelt, T.
Effects of peripheral axotomy on neuropeptides and nitric oxide synthase in dorsal root ganglia and spinal cord of the guinea pig: an immunohistochemical study (707) 180

Sakata, K., see Kitanaka, J. (707) 282
Sandillon, F., see Giménez y Ribotta, M. (707) 245
Savory, J., Huang, Y., Herman, M.M. and Wills, M.R.
Quantitative image analysis of temporal changes in tau and neurofilament proteins during the course of acute experimental neurofibrillary degeneration; non-phosphorylated epitopes precede phosphorylation (707) 272
Sawada, M., see Kitanaka, J. (707) 282
Schaper, W., see Fischer, S. (707) 47
Schroeder, D.M., see Trytek, E.S. (707) 221
Schulz, R., see Ammer, H. (707) 235
Schusheim, L., see Turgeon, S.M. (707) 75
Schwab, C., Steele, J.C. and McGeer, P.L.
Neurofibrillary tangles of Guam parkinson-dementia are associated with reactive microglia and complement proteins (707) 196
Shibasaki, T., see Wang, X.-Q. (707) 189
Smith, R.D., Kistler, M.K., Cohen-Williams, M. and Coffin, V.L.
Cholinergic improvement of a naturally-occurring memory deficit in the young rat (707) 13
Solano-Flores, L.P., see Rosas-Arellano, M.P. (707) 308
Steele, J.C., see Schwab, C. (707) 196
Stoodley, M.A., Jones, N.R. and Brown, C.J.
Evidence for rapid fluid flow from the subarachnoid space into the spinal cord central canal in the rat (707) 155
Suzumura, A., see Kitanaka, J. (707) 282
Szwarcfarb, B., see Carbone, S. (707) 139

Takami, S., Getchell, M.L., Albers, K.M. and Getchell, T.V.
An age-dependent novel hyperinnervation of circumvallate papillae by tyrosine hydroxylase-containing nerve fibers in NGF-overexpressing transgenic mice (707) 303
Takikita, S., see Wakisaka, S. (707) 228
Tirone, F., see Iacopetti, P. (707) 293
Trytek, E.S., White, I.M., Schroeder, D.M., Heidenreich, B.A. and Rebec, G.V.
Localization of motor- and nonmotor-related neurons within the matrix–striosome organization of rat striatum (707) 221
Tsuji, M.K., Mulkern, R.V., Cook, C.U., Meyers, R.L. and Holtzman, D.
Relative phosphocreatine and nucleoside triphosphate concentrations in cerebral gray and white matter measured in vivo by $^{31}P$ nuclear magnetic resonance (707) 146
Turgeon, S.M., Pollack, A.E., Schusheim, L. and Fink, J.S.
Effects of selective adenosine $A_1$ and $A_{2a}$ agonists on amphetamine-induced locomotion and c-Fos in striatum and nucleus accumbens (707) 75

Uddman, R., see Goadsby, P.J. (707) 110

Van den Bergh, P., De Beukelaer, M. and Deconinck, N.
Effect of muscle denervation on the expression of substance P in the ventral raphe-spinal pathway of the rat (707) 206
Veenman, C.L. and Reiner, A.
Ultrastructural morphology of synapses formed by corticostriatal terminals in the avian striatum (707) 1
Visker, K.E., see Carlson, J.N. (707) 122

Wakisaka, S., Takikita, S., Youn, S.H. and Kurisu, K.
Partial coexistence of neuropeptide Y and calbindin D28k in the trigeminal ganglion following peripheral axotomy of the inferior alveolar nerve in the rat (707) 228
Wang, X.-Q., Imaki, T., Shibasaki, T., Yamauchi, N. and Demura, H.
Intracerebroventricular administration of $\beta$-endorphin increases the expression of c-*fos* and of corticotropin-releasing factor messenger ribonucleic acid in the paraventricular nucleus of the rat (707) 189
Wentzel, P.R., Gerrits, N.M. and De Zeeuw, C.I.
GABAergic and glycinergic inputs to the rabbit oculomotor nucleus with special emphasis on the medial rectus subdivision (707) 314

White, I.M., see Trytek, E.S. (707) 221
Wiesenfeld-Hallin, Z., see Rydh-Rinder, M. (707) 180
Wills, M.R., see Savory, J. (707) 272
Wozniak, D.F., Brosnan-Watters, G., Nardi, A., McEwen, M., Corso, T.D., Olney, J.W. and Fix, A.S.
MK-801 neurotoxicity in male mice: histologic effects and chronic impairment in spatial learning (707) 165

Yamauchi, N., see Wang, X.-Q. (707) 189
Yen, S.-H.C., see Ko, L.-w. (707) 256
Yoshihara, T., Honma, S., Mitome, M. and Honma, K.-i.
Methamphetamine stimulates the release of neuropeptide Y and noradrenaline from the paraventricular nucleus in rats (707) 119
Youn, S.H., see Wakisaka, S. (707) 228